

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S100	11	"717"/\$.ccls. (state near8 frame) pointer ((null or nil or empty or dummy or blank) same state same frame) (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:40
S99	1	"717"/\$.ccls. (state near8 frame) pointer ((null or nil or empty or dummy or blank) with state with frame) (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:40
S98	21	"717"/\$.ccls. (state near8 frame) pointer ((null or nil or empty or dummy or blank) near3 (state or frame or context or pointer)) (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:39
S97	56	"717"/\$.ccls. (state near8 frame) pointer (((first same second) or (current\$2 same previous\$3)) same (state or frame or context or pointer)) (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:38
S96	102	"717"/\$.ccls. (state near8 frame) pointer (((first same second) or (current same previous\$3)) same (state or frame or context or pointer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:19
S95	91	"717"/\$.ccls. (state near8 frame) pointer (((first same second) or (current same previous\$3)) same (state or frame or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:19
S94	161	"717"/\$.ccls. (state near8 frame) pointer ((first same second) or (current same previous\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:18
S93	177	"717"/\$.ccls. (state near8 frame) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:17
S92	236	"717"/\$.ccls. (state near8 frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:17

EAST Search History

S90	38	((blank or empty or dummy or null or nil) near4 (state or context or block) near4 frame) pointer (state with (context or frame)) (current with (state or context or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:15
S89	59	((blank or empty or dummy or null or nil) near4 (state or context or block) near4 frame) pointer (state with (context or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:10
S88	34	((blank or empty or dummy or null or nil) near4 (state or context) near4 frame) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:09
S87	23	((blank or empty or dummy or null or nil) near4 state near4 frame) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:08
S86	168	((blank or empty or dummy or null or nil) near4 state near4 frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/24 10:07
S85	32	"717"/\$.ccls. (pointer with previous\$2) (state or frame).clm. (current\$2 or previous\$2).clm. (re\$1stor\$6 or return\$4 or roll\$6 or roll\$1back).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 11:08
S84	28	"717"/\$.ccls. (pointer with previous\$2) (state or frame).clm. (current or previous).clm. (re\$1stor\$6 or return\$4 or roll\$6 or roll\$1back).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 11:08
S83	83	"717"/\$.ccls. pointer (state or frame).clm. (current or previous).clm. (re\$1stor\$6 or return\$4 or roll\$6 or roll\$1back).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:35
S82	208	"717"/\$.ccls. pointer (state or frame).clm. (current or previous).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:34

EAST Search History

S81	957	"717"/\$.cls. pointer (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:34
S75	215	((frame or state) near4 new) pointer (current near2 (frame or state or context)) ((re\$1stor\$6 or return\$4 or roll\$4 or roll\$1back) near4 (frame or state or context)) (state or frame).clm. (frame same state) ((back or back\$1ward\$4) near8 (point\$3 or travers\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:20
S74	723	((frame or state) near4 new) pointer (current near2 (frame or state or context)) ((re\$1stor\$6 or return\$4 or roll\$4 or roll\$1back) near4 (frame or state or context)) (state or frame).clm. (frame same state) (back or back\$1ward\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:20
S73	763	((frame or state) near4 new) pointer (current near2 (frame or state or context)) ((re\$1stor\$6 or return\$4 or roll\$4 or roll\$1back) near4 (frame or state or context)) (state or frame).clm. (frame same state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:20
S72	1842	((frame or state) near4 new) pointer (current near2 (frame or state or context)) ((re\$1stor\$6 or return\$4 or roll\$4 or roll\$1back) near4 (frame or state or context)) (state or frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:19
S71	3717	((frame or state) near4 new) pointer (current near2 (frame or state or context)) ((re\$1stor\$6 or return\$4 or roll\$4 or roll\$1back) near4 (frame or state or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/23 10:18
S68	425	((return\$3 or re\$1stor\$6 or roll\$1back or roll\$4) with (state near2 (object or instance))) ((current or saved) with (state near2 (object or instance)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:48
S67	1795	((return\$3 or re\$1stor\$6 or roll\$1back or roll\$4) with (state near2 (object or instance)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:47
S60	187	(pointer same (state or frame)) state.clm. frame stack (current near6 (state or frame)) (re\$1turn\$3 or re\$1stor\$3 or roll\$1back or roll\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:28

EAST Search History

S59	296	pointer state.clm. frame stack (current near6 (state or frame)) (re\$1turn\$3 or re\$1stor\$3 or roll\$1back or roll\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:27
S58	434	pointer state.clm. frame stack current (re\$1turn\$3 or re\$1stor\$3 or roll\$1back or roll\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:27
S57	1704	pointer state.clm. frame stack current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:26
S56	43	((new or fork\$3) with (object or instance) with state) pointer (current near3 (state or frame or context)) ((return\$3 or re\$1store or ((roll\$3 adj back) or roll\$1back)) near3 (state or frame or context)) ((state near2 (object or instance)) near4 new) state.clm. (state same path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:22
S51	306	((new or fork\$3) with (object or instance) with state) pointer (current near3 (state or frame or context)) ((return\$3 or re\$1store or ((roll\$3 adj back) or roll\$1back)) near3 (state or frame or context)) (state near2 (object or instance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:19
S50	423	((new or fork\$3) with (object or instance) with state) pointer (current near3 (state or frame or context)) ((return\$3 or re\$1store or ((roll\$3 adj back) or roll\$1back)) near3 (state or frame or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:19
S49	422	((new or fork\$3) with (object or instance) with state) pointer (current near3 (state or frame or context)) ((return\$3 or re\$1store or (roll\$3 or roll\$1back)) near3 (state or frame or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:18
S46	1514	((new or fork\$3) with (object or instance) with state) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:17
S48	36	((new with path) or fork\$3) with (object or instance) with state) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:15

EAST Search History

S47	28	(new with (path or fork\$3) with (object or instance) with state) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/21 10:15
S43	71	((frame or context or state) with (empty or blank or null or nil or dummy) with path) ((frame or context or state) near2 (object or class or instance)) (frame or context or state).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:45
S42	112	((frame or context or state) with (empty or blank or null or nil or dummy) with path) ((frame or context or state) near2 (object or class or instance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:44
S41	14	((frame or context or state) with (empty or blank or null or nil or dummy) with fork\$4) ((frame or context or state) near2 (object or class or instance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:44
S40	250	((frame or context or state) with (empty or blank or null or nil or dummy) with fork\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:43
S39	83165	((frame or context or state) with (empty or blank or null or nil or dummy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:42
S38	61	(pointer with (back or back\$4ward\$4)) (frame with state) (state near2 (object or component or class or instance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:09
S37	4268	(pointer with (back or back\$4ward\$4)) (frame state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:09
S36	390	((context or state) with frame) (current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3)) ((roll\$5back or roll\$4 or return\$3 or re\$1stor\$6) with (frame or context or state))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:01

EAST Search History

S35	5	((instance or object or class) state).clm. ((context or state) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3)) ((roll\$5back or roll\$4 or return\$3 or re\$1stor\$6) with (frame or context or state))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 11:00
S34	2	((instance or object or class) state).clm. ((context or state) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3)) ((roll\$5back or roll\$4) with (frame or context or state))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:58
S33	0	((instance or object) with state).clm. ((context or state) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3)) ((roll\$5back or roll\$4) with (frame or context or state))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:57
S32	15	((instance or object) near2 state) ((context or state) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3)) ((return\$3 or re\$1stor\$6) with (frame or context or state)) ((new or fork\$3 or frame or object or instance) with (empty or blank or null or nil or dummy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:53
S31	56	((instance or object) near4 state) ((context or state) with frame) (sav\$3 near8 current near8 (state or frame)) (pointer with (back or back\$1ward\$3 or return\$3 or re\$1stor\$6)) ((new or fork\$3 or frame or object or instance) with (empty or blank or null or nil or dummy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:46
S30	42	((instance or object) near4 state) ((context or state) with frame) (sav\$3 near8 current near8 (state or frame)) (pointer with (back or back\$1ward\$3 or return\$3 or re\$1stor\$6)) ((new or fork\$3) same (empty or blank or null or nil))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:46
S29	62	((instance or object) near4 state) ((context or state) with frame) (sav\$3 near8 current near8 (state or frame)) (pointer with (back or back\$1ward\$3 or return\$3 or re\$1stor\$6)) (new (empty or blank or null or nil))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:45
S28	65	((instance or object) near4 state) ((context or state) with frame) (sav\$3 near8 current near8 (state or frame)) (pointer with (back or back\$1ward\$3 or return\$3 or re\$1stor\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:45
S27	48	((instance or object) near4 state) ((context or stater) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer with (back or back\$1ward\$3 or return\$3 or re\$1stor\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:44

EAST Search History

S26	46	((instance or object) near4 state) ((context or stater) with frame) (sav\$3 near8 current near8 (state or frame or context)) (pointer same (return\$3 or re\$1stor\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:43
S25	32	((instance or object) near2 state) ((context or stater) with frame) (sav\$3 near8 current near8 (state or frame or context)) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:42
S24	36	((instance or object) near2 state) ((context or stater) with frame) (sav\$3 near8 current near8 (state or frame or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:42
S23	36	((instance or object) near2 state) ((context or stater) with frame) (sav\$3 near8 current near8 (state or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:42
S22	20	((instance or object) near2 state) ((context or stater) near2 frame) (sav\$3 near4 current near4 (state or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/20 10:41
S2	4	10/650245 (blank or empty or fork)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 19:26
S14	111	((object or instance) near4 state) ((re\$1stor\$4 or return\$3) near6 (state or context)) ((frame or context or state) near4 pointer) (pointer with (re\$1stor\$4 or return\$4 or back)) ((context or state or pointer) with frame) ((return\$4 or re\$1stor\$3) near6 (any or selective\$2 or exact\$3 or needed or specified))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 17:15
S13	116	((object or instance) near4 state) ((re\$1stor\$4 or return\$3) near6 (state or context)) ((frame or context or state) near4 pointer) (pointer with (re\$1stor\$4 or return\$4 or back)) ((context or state or pointer) with frame) ((return\$4 or re\$1stor\$3) with (any or selective\$2 or exact\$3 or needed or specified))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 17:14
S12	129	((object or instance) near4 state) ((re\$1stor\$4 or return\$3) near6 (state or context)) ((frame or context or state) near4 pointer) (pointer with (re\$1stor\$4 or return\$4)) ((context or state or pointer) with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 17:12

EAST Search History

S10	40	(state near2 object) ((object or instance) with state with class) ((re\$1stor\$4 or return\$3) near6 (state or context)) ((frame or context or state) near4 pointer) (pointer with (re\$1stor\$4 or return\$4)) ((context or state or pointer) with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:57
S9	67	(state near2 object) ((object or instance) with state with class) ((re\$1stor\$4 or return\$3) near6 (state or context)) ((frame or context or state) near4 pointer) (pointer with (re\$1stor\$4 or return\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:56
S8	2	(state near2 object) ((object or instance) with state with class) ((re\$1stor\$4 or return\$3) near2 (state or context)) ((frame or context or state) near4 pointer) fork	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:55
S7	126	(state near2 object) ((object or instance) with state with class) ((re\$1stor\$4 or return\$3) near2 (state or context)) ((frame or context or state) near4 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:54
S6	360	(state near2 object) ((object or instance) with state with class) ((re\$1stor\$4 or return\$3) near2 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:53
S5	2	10/650245 (semantic\$9)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:52
S4	4	10/650245 (blank or empty or null or nil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:42
S3	4	10/650245 (blank or empty or fork or null or nil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/19 16:31